



## **Cover: Material Safety Data Sheet (MSDS)**

The attached Material Safety Data Sheet is for the information of users of this product.

The MSDS sheets are prepared by RICOH Japan, and cannot be altered.

The material referred to in this MSDS is classified as:

### **Non-Hazardous.**

Whilst the materials used in the manufacture of this product are not in sufficient quantities to be harmful, please observe the manufacturer's cautions when handling the product.

**For first aid information contact:**

**POISONS INFORMATION CENTRE**

**24 Hour Emergency Number: 13 11 26**

**For all MSDS Information please refer to the Ricoh website:**  
**[www.ricoh.com.au](http://www.ricoh.com.au)**

Ricoh Australia Pty Ltd  
8 Rodborough Road,  
FRENCHS FOREST  
New South Wales 2086  
Australia.  
Telephone (61-2-8977 1111)  
Fax (61-2-8977 1120)

## Safety Data Sheet (ISO form)

### 1. Product and Company Identification

Product Name : RICOH Pro Toner 8100S S (Black toner)  
General Use : The Image Formation of Printing Machine or Copier  
MSDS Number : 828279  
Company Name : Ricoh Company, Ltd.  
Department : Safety Engineering Center, Quality Assurance Center, Quality Management Division  
Address : 146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan  
Telephone Number : 055-920-1470, Japan  
Telefax Number : 055-920-1479, Japan  
E-mail : msdsinfo@nts.ricoh.co.jp

### 2. Composition/Information on Ingredients

Substance or Preparation

Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	>80
Carbon Black	C	1333-86-4	<15
Wax	Not Identified	8015-86-9	<10
Silica	O <sub>2</sub> Si	7631-86-9	1-10
Titan Oxide	TiO <sub>2</sub>	13463-67-7	0.1-1

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenylethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

#### Hazardous Ingredients Information

Chemical Name : Carbon Black

CAS Number : 1333-86-4

OSHA Z-Tables (USA) : 3.5mg/m<sup>3</sup>

NTP (USA) : Not listed

Symbol (EU) : Not listed

DFG-MAK : III 3B

California Proposition 65 (USA) : Listed

EEC Number : 215-609-9

ACGIH-TLV : 3.0mg/m<sup>3</sup>

IARC Monographs : Group 2B

R-Phrase (EU) : Not listed

OELs-TWA (Australia) : 3.0mg/m<sup>3</sup>

Chemical Name : Titan Oxide

CAS Number : 13463-67-7

OSHA Z-Tables (USA) : 15mg/m<sup>3</sup>

NTP (USA) : Not listed

Symbol (EU) : Not listed

DFG-MAK (GER) : Not listed

California Proposition 65 (USA) : Not listed

EEC Number : 236-675-5

ACGIH-TLV : 10mg/m<sup>3</sup>

IARC Monographs : Group 2B

R-Phrase (EU) : Not listed

OELs-TWA (Australia) : 10mg/m<sup>3</sup>

### 3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

Environmental Effects

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use.  
Specific Hazards  
Dust explosion (like most finely grained organic powders)

---

#### Main Symptoms

##### Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

##### Acute Oral Toxicity

Low acute toxicity in animal experiment.

##### Acute Eye Irritation

May cause slight transient irritation.

##### Acute Skin Irritation

May be non-irritant.

##### Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

##### Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m<sup>3</sup> every day for 2 years. No pulmonary change was found at 1mg/m<sup>3</sup>. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

##### Carcinogenicity

Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use. Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

##### The Classification of The Chemical Product

This preparation is not classified as dangerous according to Directive 1999/45/EC.

---

#### 4.First-Aid Measures

##### Inhalation

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice.

##### Skin Contact

Wash thoroughly with soapy water.

##### Eye Contact

Flush with a large amount of water until particle is removed. Seek medical advice.

##### Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice.

##### Notes to a physician

Not applicable

---

#### 5.Fire-Fighting Measures

##### Extinguishing Media

CO<sub>2</sub>, dry chemicals, foam or water.

##### Extinguishing Media to Avoid

Not applicable

##### Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

##### Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

##### Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

---

## 6. Accidental Release Measures

### Personal Precautions

Do not breathe in dust.

### Environment Precautions

Do not flush into sewers or watercourses.

### Methods for Cleaning Up

Fine powder may form explosive dust-air mixture.

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

---

## 7. Handling and Storage

### Handling

#### Technical Measures/Precautions

Not applicable

#### Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes.

Avoid breathing in dust.

### Storage

#### Technical Measures

Not applicable

#### Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight.

#### Packaging Material

Not applicable

#### Specific Use(s)

Image formation in printing machines or copiers.

---

## 8. Exposure Controls/Personal Protection

### Technical Measures

Use adequate ventilation. None required with intended use.

### Control Parameters

USA OSHA PEL (TWA) :	15mg/m <sup>3</sup> (Total dust)	5.0mg/m <sup>3</sup> (Respirable fraction)
----------------------	----------------------------------	--

ACGIH TLV (TWA) :	10mg/m <sup>3</sup> (Inhalable fraction)	3.0mg/m <sup>3</sup> (Respirable fraction)
-------------------	--	--

DFG MAK :	4.0mg/m <sup>3</sup> (Total dust)	1.5mg/m <sup>3</sup> (Respirable fraction)
-----------	-----------------------------------	--

### Personal Protection

#### Respiratory Protections

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

#### Hand Protection

Use vinyl or rubber gloves if necessary.

#### Eye Protection

Put on goggles if necessary.

#### Skin and Body Protection

Wear chemical-resistant apron or other impervious clothing if necessary.

#### Hygiene Measures

Wash hands after handling

---

## 9. Physical and Chemical Properties

### Appearance

Physical State : Solid

Form : Powder

Colour : Black

Odour : Slightly plastic odour

### Information

pH : Not applicable

### Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur

Boiling Point (degrees centigrade) : Not applicable

Melting Point (degrees centigrade) : (Softening point) Approx. 100

Decomposition Temperature (degrees centigrade)	: Not available
Flash Point (degrees centigrade)	: Not applicable
Explosion Properties (degrees centigrade)	: This product is considered a nonexplosive material under normal use.

---

Vapor Pressure (Pa) : Not applicable  
Vapor : Not applicable  
Density(AIR=1) :  
Density (g/cm3) : Approx.1.2 Measuring Temp (degrees centigrade) : 25  
Solubility  
Water Solubility (g/L) : Insoluble  
Chloroform Solubility (g/L) : Slightly soluble  
Octanol/Water Partition Coefficient  
Not available  
Other Information  
Flammability : Not flammable  
Viscosity (Pa·s) : Not applicable  
Volatile (%) : 0.2 or below

---

## 10.Stability and Reactivity

Stability  
Stable  
Hazardous Reaction  
Dust explosion, like most finely grained organic powders.  
Conditions to Avoid  
Not applicable in normal use.  
Materials to Avoid  
Not applicable in normal use.  
Hazardous Decomposition Products  
Decomposition products will not occur.

---

## 11.Toxicological Information

Acute Toxicity  
Acute Oral Toxicity (LD50) :  
5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.)  
Acute Dermal Toxicity :  
Not available  
Acute Inhalation Toxicity :  
Not available  
Local effects  
Acute Skin Irritation(PII) :  
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)  
Acute Eye Irritation :  
Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)  
Sensitization  
Acute Allergenic Effects :  
0 % (Marmot) (Based on other product test results of similar ingredients.)  
Specific Effects  
Carcinogenicity :  
Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat.  
But oral/skin test does not show carcinogenicity.  
The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.  
In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's



lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

---

## 12. Ecological Information

Mobility : No data are available on the adverse effect one environment.  
Persistence/Degradability : Not available  
Bioaccumulation : Not available  
Ecotoxicity  
Acute Toxicity for Fish (LC50) : Not classified as toxic (EU Directive 1999/45/EC)  
Acute Toxicity for Daphnia (EC50) : Not classified as toxic (EU Directive 1999/45/EC)  
Algae Inhibition Test (IC50) : Not classified as toxic (EU Directive 1999/45/EC)

---

## 13. Disposal Consideration

General information:  
Dispose of waste and residues in accordance with local authority requirements  
Disposal methods:  
Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.  
Precautions:  
Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

---

## 14. Transport Information

International Regulations  
Land Transport  
RID/ADR : Not applicable  
DOT 49 CFR : Not applicable  
ADNR : Not applicable  
Sea Transport  
IMDG Code : Not applicable  
Air Transport  
ICAO-TI/IATA-DGR : Not applicable  
The UN Classification Number : Not applicable  
Class : Not applicable  
Specific Precautionary Transport Measures and conditions  
Avoid direct sunlight in quality.

---

## 15. Regulatory Information

Regulations  
EU Information  
Information on the label (1999/45/EC and 67/548/EEC)  
Symbols & Indications : Not required  
R-Phrase : Not required  
S-Phrase : Not required  
Special Precautions under 1999/45/EC Annex V : Not required  
76/769/EEC  
This product complies with applicable rules and regulations under 76/769/EEC  
304/2003/EC  
Not regulated  
US Information

Information on the label : [Not required](#)

TSCA (Toxic Substances Control Act) :

[This product complies with all applicable rules and regulations under TSCA.](#)

SARA Title III

313 Reportable Ingredients : [Not regulated](#)

California Proposition 65 : [Not regulated](#)

Canada Information

WHMIS Controlled product : [Not a controlled product](#)

## 16. Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

### Literature References :

ANSI Z400.1-1993

ISO 11014-1

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens

DFG-MAK : DFG List of MAK and BAT Value

Symbol (EC) : EU Directive 67/548/EEC

91/155/ EEC : EU Directive 91/155/ EEC

1999/45/EC Annex V : EU Directive 1999/45/EC

76/769/ EEC : EU Directive 76/769/ EEC

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals

WHMIS Controlled product : Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

### Abbreviations :

OSHA PEL : PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV : TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hygienists

REACH : (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

SVHC : Substances of Very High Concern

ECHA : The European Chemicals Agency

DFG-MAK : MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft

RoHS : Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment

TWA : Time Weighted Average

IARC : International Agency for Research on Cancer

NTP : National Toxicology Program

WHMIS : Workplace Hazardous Information System

NOHSC : National Occupational Health and Safety Commission Act 1985

### Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with

any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.