

SAFETY DATA SHEET.

Issuing date 23-Mar-2015

Revision Date 23-Mar-2015

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name BLUE GREASE Recommended use of the chemical and restrictions on use P91491 Product code Product Type Extremely flammable aerosol Synonyms None Supplier's details **Recommended Use** Lubricant. Uses advised against No information available Manufactured For: Lawson Products, Inc 8770 W. Bryn Mawr Avenue - Suite 900 Chicago, IL 60631-3515 773-304-5050 Emergency telephone number

Chemical Emergency Phone 888-426-4851 Number

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

DANGER

Emergency Overview

Hazard Statements

Causes skin irritation May cause respiratory irritation. May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated



Appearance opaque

Physical state Aerosol

Odor Light Vanilla Scent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Specific treatment (see first aid on this label) IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

· Toxic to aquatic life with long lasting effects

4.87125% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	20-30
HEPTANE	64742-49-0	20-30
HYDROTREATED LIGHT DISTILLATES	64742-47-8	10-20
CALCIUM DODECYLBENZESULFONATE	26264-06-2	1-10
MINERAL OIL, SEVERELY HYDROTRE	64742-54-7	1-10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If irritation persists, call a physician.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen may be necessary. If breathing has stopped, contact emergency medical services immediately.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.		
Most important symptoms/effects, acute and delayed			
Main Symptoms	Causes skin irritation. May cause respiratory irritation. Harmful if swallowed.		
Indication of immediate medical attention and special treatment needed, if necessary			

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion Data Sensitivity to Mechanical Impact none.

Sensitivity to Static Discharge Yes.

<u>Protective Equipment and Precautions for Firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do puncture or incinerate cans.Do no stick pin or any other sharp object into opening on top can. Avoid skin contact. Use with adequate ventilation. Keep container away from heat,flames, and all other sources of ignition. Keep can away from all sources of electric such as electric motors and batteries. Do not spray on hot surfaces.					
Environmental precautions					
Environmental precautions	Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.				
Methods and materials for conta	inment and cleaning up				
Methods for Containment Prevent further leakage or spillage if safe to do so.					
Methods for cleaning up	Methods for cleaning up Pick up and transfer to properly labeled containers.				
7. HANDLING AND STORAGE					
Precautions for safe handling					
Advice on safe handling	Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition. Do not smoke.				
Conditions for safe storage, inclu	uding any incompatibilities				
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep out of the reach of children. Keep locked-up.				
Incompatible products	None known based on information supplied.				
Aerosol Level	3				
8. E	EXPOSURE CONTROLS/PERSONAL PROTECTION				
Control parameters					

Control parameters

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

P91491 BLUE GREASE

Revision Date 23-Mar-2015

PROPANE/ISOBUTANE/N-BUTANE 68476-86-8 74-98-6: TWA: 1000 ppm 106-97-8: STEL: 1000 ppm 75-28-5: STEL: 1000 ppm		74-98-6:TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ 106-97-8: (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	74-98-6:IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ 106-97-8:TWA: 800 ppm TWA: 1900 mg/m ³ 75-28-5:TWA: 800 ppm TWA: 1900 mg/m ³	
	HEPTANE 64742-49-0	TLV: 400 ppm STEL: 500 ppm	TWA: 500 ppm	-
	HYDROTREATED LIGHT DISTILLATES 64742-47-8	TWA: 200 PPM 8 hours	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 96 (11th Cir., 1992).	
Exposure controls		
Engineering Measures	Showers Eyewash stations Ventilation systems.	
Individual protection measures, su	ch as personal protective equipment	
Eye/Face Protection	Safety glasses with side-shields.	
Skin and body protection	Chemical resistant apron. Protective gloves.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color	Aerosol opaque blue	Odor Odor Threshold	Light Vanilla Scent No information available
<u>Property</u> pH Melting/freezing point Boiling point/boiling range	<u>Values</u> No information available No information available No information available	<u>Remarks • Methods</u>	
Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	-97 °C / -142 °F No information available No information available	Based on propellant	
upper flammability limit lower flammability limit Vapor pressure Vapor density	No information available No information available No information available No information available		
Specific Gravity Water solubility Partition coefficient: n-octanol/wate Autoignition temperature	0.733 Practically insoluble erNo information available No information available	Not applicable	

Decomposition temperature	
Viscosity	
Explosive properties	

No information available No information available No information available

Other information

VOC Content(%)

49.53

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	May cause drownsiness and dizziness based on components. May cause irritation of respiratory tract. Vapors may irritate throat and respiratory system. Avoid breathing vapors or mists.
Eye contact	May cause slight irritation. Avoid contact with eyes.
Skin contact	Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis. Repeated exposure may cause skin dryness or cracking. Avoid contact with skin.
Ingestion	May be harmful if swallowed. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HEPTANE			= 73680 ppm (Rat) 4 h
64742-49-0			
HYDROTREATED LIGHT > 5000 mg/kg (Rat) DISTILLATES 64742-47-8		> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
CALCIUM 1086 - 1980 mg/kg (Rat) DODECYLBENZESULFONATE 26264-06-2		-	-

Information on toxicological effects

Symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting. May cause mild irritation. Irritating to skin. Prolonged or repeated exposure may cause dermatitis.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	Irritating to re None known. None known.	Irritating to skin. Irritating to respiratory system and skin. None known. None known. The table below indicates whether each agency has evaluated a listed ingredient as a carcinogen.					
Chemical Name	ACGIH	ACGIH IARC NTP OSHA					

Chemical Name	ACGIH	IARC	NIP	OSHA	
MINERAL OIL, SEVERELY	A2	Group 1	-	Х	
HYDROTRE					
64742-54-7					
ACGIH: (American Conference of Governmental Industrial Hygienists)					

A2 - Suspected Human Carcinogen	
IARC: (International Agency for Res	search on Cancer)
Group 1 - Carcinogenic to Humans	
OSHA: (Occupational Safety & Heal	Ith Administration)
X - Present	
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Specific target organ systemic	May cause respiratory irritation. May cause drowsiness and dizziness.
toxicity (single exposure)	
Specific target organ systemic	No information available.
toxicity (repeated exposure)	
Target Organ Effects	Central nervous system, Eyes, Respiratory system, Skin.
Neurological effects	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or
-	fatal.
Aspiration hazard	May be fatal if swallowed and enters airways.
·	
Specific target organ systemic toxicity (single exposure) Specific target organ systemic toxicity (repeated exposure) Target Organ Effects Neurological effects	 May cause respiratory irritation. May cause drowsiness and dizziness. No information available. Central nervous system, Eyes, Respiratory system, Skin. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity	4.87125% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document

ie felietning faldee ale ealealatea	
ATEmix (oral)	3422 mg/kg
ATEmix (dermal)	4023 mg/kg
ATEmix (inhalation-dust/mist)	790.5 mg/l
ATEmix (inhalation-vapor)	102 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
HYDROTREATED LIGHT DISTILLATES 64742-47-8	-	2.2 mg/L LC50 Lepomis macrochirus 96h static 2.4 mg/L LC50 Oncorhynchus mykiss 96h static 45 mg/L LC50 Pimephales promelas 96h flow-through	-	-
CALCIUM DODECYLBENZESULFON ATE 26264-06-2	-	10.8 mg/L LC50 Oncorhynchus mykiss 96h static	-	-
MINERAL OIL, SEVERELY HYDROTRE 64742-54-7	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemica	al Name	log Pow	
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8		2.8	
Other adverse effects	No information available		
	13. DISPOSAL C	ONSIDERATIONS	
Waste treatment			
Waste Disposal Methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).		
Contaminated packaging	Do not re-use empty cont	ainers.	
	14. TRANSPOR	T INFORMATION	
DOT Ground	CONSUMER COMMODIT or LIMITED QUANTITY	ГҮ ORM-D	

IMDG	UN1950, AEROS	OLS, 2.1, LTD. C	₹TY.

15. REGULATORY INFORMATION

UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PROPANE/ISOBUTA NE/N-BUTANE	х	X	Х	Not listed	Х	X	X	X
HEPTANE	Х	Х	Х	Х	Х	X	Х	Х
HYDROTREATED LIGHT DISTILLATES	Х	X	Х	Х	Х	Х	Х	Х
CALCIUM DODECYLBENZESUL FONATE	Х	X	X	Х	Х	X	X	X
MINERAL OIL, SEVERELY HYDROTRE	Х	X	X	Not listed	Х	X	Х	X

Legend:

ΙΑΤΑ

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **CHINA** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
CALCIUM DODECYLBENZESULFON ATE 26264-06-2	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
CALCIUM DODECYLBENZESULFONATE 26264-06-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any known Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
CALCIUM DODECYLBENZESULFONATE 26264-06-2	X	X	X

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.



16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 2	Flammability 4	Physical Hazard 1	Personal protection B
publication. The inform transportation, dispose	23-Mar-2 23-Mar-2 led on this SDS is corr nation given is design al and release and is n cific material designate	ect to the best of our kn ed only as a guide for s ot to be considered as a ed and may not be valid	owledge, information and afe handling, use, process warranty or quality speci for such material used in	ing, storage,

End of Safety Data Sheet