



*Allied Pressroom Products
Chemicals for the International Printing Industry*

SAFETY DATA SHEET DYNAKLEAN (USA)

1. Identification

Product identifier

Product name DYNAKLEAN (USA)

Recommended use of the chemical and restrictions on use

Application For use as a roller cleaner in the lithographic printing industry. Roller cleaner.

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier ALLIED PRESSROOM PRODUCTS
2040 Lee Street
Hollywood
FL 33020
USA
+1 800-327-8487 (09:00-17:00 EST)
+1 954-923-6462
info@alliedchem.com

Manufacturer Same as supplier

Emergency telephone number

Emergency telephone Allied Pressroom Products +1 800-327-8487 (09:00-17:00 EST)

National emergency telephone number 911

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Environmental hazards Not Classified

Human health Irritating to eyes. The product contains a sensitizing substance. May cause sensitization or allergic reactions in sensitive individuals.

Environmental The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Label elements

Pictogram



Signal word Warning

DYNAKLEAN (USA)

Eye contact Wash with plenty of soap and water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory system irritation. Overexposure to organic solvents may depress the central nervous system, causing dizziness and intoxication and, at very high concentrations, unconsciousness and death.

Ingestion May cause stomach pain or vomiting.

Skin contact The product contains a sensitizing substance. May cause skin sensitization or allergic reactions in sensitive individuals. Prolonged contact may cause redness, irritation and dry skin.

Eye contact Causes serious eye irritation. Symptoms following overexposure may include the following: Redness. Pain.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with the following media: Carbon dioxide (CO₂). Alcohol-resistant foam. Dry chemicals, sand, dolomite etc.

Unsuitable extinguishing media Do not use water, if avoidable.

Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapors.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapors. Containers close to fire should be removed or cooled with water. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Wash thoroughly after dealing with a spillage. Absorb in vermiculite, dry sand or earth and place into containers.

Reference to other sections For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

DYNAKLEAN (USA)

Usage precautions Avoid spilling. Avoid contact with skin, eyes and clothing. Provide adequate ventilation. Avoid inhalation of vapors. Use approved respirator if air contamination is above an acceptable level.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Do not smoke in work area.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Viscous liquid. Emulsion.

Color White.

Odor Citrus.

Odor threshold No information available.

pH pH (concentrated solution): Alkaline

Melting point Not applicable.

Initial boiling point and range >100°C/212°F @ 760 mm Hg

Flash point > 93°C/200°F TCC (Tag closed cup).

DYNAKLEAN (USA)

Evaporation rate	< 1 (butyl acetate = 1)
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	<3.0 mm Hg @ 20°C
Vapour density	>1
Relative density	~ 0.91 @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Miscible with water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Oxidising properties	Not available.
Comments	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
Volatile organic compound	This product contains a maximum VOC content of 79 g/litre. This product contains a maximum VOC content of 0.7 lb per Gallon.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Materials to avoid	Strong oxidizing agents. Strong acids. Strong reducing agents. Strong alkalis.
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO ₂). Nitrous gases (NO _x). Hydrocarbons.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 75,675.67567568

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

DYNAKLEAN (USA)

Animal data	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Irritating to eyes.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Skin sensitisation	Sensitizing.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
<u>Carcinogenicity</u>	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Based on available data the classification criteria are not met.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
<u>Inhalation</u>	
Inhalation	May cause respiratory system irritation. Overexposure to organic solvents may depress the central nervous system, causing dizziness and intoxication and, at very high concentrations, unconsciousness and death.
<u>Ingestion</u>	
Ingestion	May cause discomfort if swallowed.
<u>Skin Contact</u>	
Skin Contact	Contains components which may penetrate the skin. May cause sensitisation by skin contact. Prolonged contact may cause redness, irritation and dry skin.
<u>Eye contact</u>	
Eye contact	Causes serious eye irritation.
<u>Route of entry</u>	
Route of entry	Skin and/or eye contact Inhalation Skin absorption
<u>Target Organs</u>	
Target Organs	Skin Eyes Respiratory system, lungs Brain Central nervous system
<u>Medical Symptoms</u>	
Medical Symptoms	Irritation of eyes and mucous membranes. Skin irritation. Allergic rash. Headache. Nausea, vomiting. Central nervous system depression. Coughing. Dryness and/or cracking.

12. Ecological Information

<u>Ecotoxicity</u>	
Ecotoxicity	Not known. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
<u>Toxicity</u>	
<u>Acute toxicity - fish</u>	
Acute toxicity - fish	Not known.
<u>Acute toxicity - aquatic invertebrates</u>	
Acute toxicity - aquatic invertebrates	Not known.
<u>Acute toxicity - aquatic plants</u>	
Acute toxicity - aquatic plants	Not known.

DYNAKLEAN (USA)

Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product is miscible with water and may spread in water systems.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Other adverse effects

Other adverse effects Not known.

13. Disposal considerations

Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (DOT) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN proper shipping name

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS (R)-p-mentha-1,8-diene)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS (R)-p-mentha-1,8-diene)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS (R)-p-mentha-1,8-diene)

Transport hazard class(es)

IMDG Class 9

ICAO class/division 9

DYNAKLEAN (USA)**Transport labels****Packing group**

DOT pack group III

IMDG packing group III

ICAO packing group III

Environmental hazards**Environmentally Hazardous Substance****Special precautions for user**

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

Not listed

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed

SARA 313 Emission Reporting

Not listed

CAA Accidental Release Prevention

Not listed

FDA - Essential Chemical

Not listed

FDA - Precursor Chemical

Not listed

OSHA Highly Hazardous Chemicals

Not listed

US State Regulations**California Proposition 65 Carcinogens and Reproductive Toxins**

DYNAKLEAN (USA)

DI-ISONONYL PHTHALATE

30-60%

California Air Toxics "Hot Spots" (A-I)

Not listed

California Air Toxics "Hot Spots" (A-II)

Not listed

California Directors List of Hazardous Substances

2-AMINOETHANOL

<1%

Massachusetts "Right To Know" List

2-AMINOETHANOL

<1%

Rhode Island "Right To Know" List

2-AMINOETHANOL

<1%

Minnesota "Right To Know" List

2-AMINOETHANOL

<1%

New Jersey "Right To Know" List

DI-ISONONYL PHTHALATE

30-60%

2-AMINOETHANOL

<1%

Pennsylvania "Right To Know" List

DI-ISONONYL PHTHALATE

30-60%

2-AMINOETHANOL

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.
DSL

US - TSCA

All the ingredients are listed or exempt.

16. Other information

Key literature references and sources for data Material Safety Data Sheet, Misc. manufacturers.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by J Waterfield

DYNAKLEAN (USA)

Revision date	6/11/2015
Revision	2.2
Supersedes date	2/5/2015
SDS No.	21053
Hazard statements in full	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.
ACA HMIS Health rating.	Slight hazard. (1)
ACA HMIS Physical hazard rating.	Normally stable. (0)
ACA HMIS Personal protection rating.	C
ACA HMIS Flammability rating.	Burns only if pre-heated. (1)

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.