

CPI

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: SELF LEVELING UNDERLAYMENT LATEX PRIMER HMIS CODES: H F R P
PRODUCT CODE: 3020.ALT 0 0 0

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Custom Building Products, Inc.
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846
DATE REVISED : 07-24-99 NAME OF PREPARER : STEVE TAYLOR

===== SECTION II - INGREDIENTS/SARA III INFORMATION =====

COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS		VAPOR PRESSURE mm Hg @ TEMP	Wt. %
		OSHA PEL	ACGIH TLV		
Water	7732-18-5				60-80
Acrylic Polymer	N/A				20-40

* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: N/A SPECIFIC GRAVITY (H₂O=1): 1.0
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER
SOLUBILITY IN WATER: EMULSION
APPEARANCE AND ODOR: MILKY WHITE LIQUID EMULSION

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: , WATER FOG

SPECIAL FIREFIGHTING PROCEDURES
NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS
DRIED FILM IS COMBUSTIBLE SIMILAR TO WOOD. BURNING DRY RESINS EMITS
DENSE, BLACK SMOKE.

3020.ALT MATERIAL SAFETY DATA SHEET PAGE 2 OF 3

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID
NONE

INCOMPATIBILITY (MATERIALS TO AVOID)
ADDITION OF CHEMICALS MAY CAUSE COAGULATION.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
IF BURNED, PRODUCES CARBON MONOXIDE AND HYDROCARBONS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
NONE

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
NO ADVERSE EFFECTS ARE ANTICIPATED.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SKIN: PROLONGED OR REPEATED MAY CAUSE IRRITATION.
EYE: MAY CAUSE SLIGHT EYE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
ABSORPTION THRU SKIN IS UNLIKELY DUE TO PHYSICAL PROPERTIES OF EMULSION.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SINGLE DOSE ORAL TOXICITY IS LOW.

HEALTH HAZARDS (ACUTE AND CHRONIC)
NO SPECIFIC DATA AVAILABLE, HOWEVER, REPEATED EXPOSURES ARE NOT ANTICIPATED
TO CAUSE ANY SIGNIFICANT ADVERSE PROBLEMS.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO
NOT LISTED BY NTP, IARC, OR OSHA AS CONTAINING CARCINOGENS.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
NONE

EMERGENCY AND FIRST AID PROCEDURES
EYE CONTACT: IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 5 MINUTES.
SKIN CONTACT: WASH OFF WITH SOAP AND WATER.
INHALED: NO ADVERSE EFFECTS ANTICIPATED.
SWALLOWED: NO ADVERSE EFFECTS ANTICIPATED.

3020.ALT

MATERIAL SAFETY DATA SHEET

PAGE 3 OF 3

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
FLUSH AREA WITH WATER IMMEDIATELY. AVOID UNNECESSARY EXPOSURE AND CONTACT.

WASTE DISPOSAL METHOD
DO NOT FLUSH INTO SEWERS. CAPTURE SPILLS AND BURY IN AN APPROVED LAND FILL OR
BURN SOLID WASTES IN ADEQUATE INCENERATOR.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
STORE AT TEMPERATURES BETWEEN 40 DEGREES F AND 110 DEGREES F.

OTHER PRECAUTIONS

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION
FOR MOST CONDITIONS, NO RESPIRATORY PROTECTION SHOULD BE NEEDED, HOWEVER, IN
MISTY ATMOSPHERES USE APPROVED MIST RESPIRATOR.

VENTILATION
NORMAL VENTILATION IS ADEQUATE.

PROTECTIVE GLOVES
CHEMICAL RESISTANT GLOVES ARE RECOMMENDED.

EYE PROTECTION

USE SAFETY GLASSES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT
WEAR CLEAN, LONG SLEEVED, BODY COVERING CLOTHING.

WORK/HYGIENIC PRACTICES
GOOD HOUSEKEEPING PRACTICES SHOULD BE ENFORCED.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT
WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE
ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT,
APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.